



Serafil 8-120, the all-purpose thread made of 100% PES multi-filaments, features an outstanding breaking strength and abrasion resistance. Further advantages are the well-balanced elongation behaviour, a good light and weather fastness and the high thermal resistance.

Serafil 8-120 not only meets the tough demands placed on a high-quality thread in the leather processing industry, in heavy fabrics and in safety-relevant parts, but also in day-to-day use on sewing machines.

AMANN fulfils such high quality standards through the use of carefully selected raw materials, new thread-friendly production machines and modern high-temperature dyeing processes. Because we want to produce the quality seam you expect.

Serafil 8-120 is available in a wide range of colours and sizes – also in water-repellent and bonded qualities.



Fields of Application

Serafil 8


The functional strength for safety and load-carrying belts, for coarse ornamental seams on shoes and for heavy technical textiles.

Serafil 10, 15

As rustic coarse ornamental thread for shoes and leather and for heavy technical textiles.

Serafil 20

The universal sewing thread for heavy shoes, airbags, car seats, suitcases, leather and heavy fabrics.





Serafil 30,40

For shoes, car seats, upholstery, bags, leather and technical fabrics.

Serafil 60,80

For shoes, bags, leather, upholstery, zippers, gloves as well as for mattresses and multi-needle quilting.

Serafil 120

The fine one for multi-needle quilting, clean room clothing and technical applications.

Versatile, robust, high-quality— Versatile, robust, high-quality if real strength is needed

المناب	Art.No. Make-		Ch.d.	Recommended Needles	
Article	Art.ino.	rt.No. Make-up Styles		Nm	Size No.
Serafil 8	0528	850 m	FS	180-230	24-26
	0097	kg			
Serafil 10	7059	300 m	FS	160-200	23-25
	7201	1000 m			
Serafil 10 WR	0136	300 m	FS	160-200	23-25
Serafil 15	6285	450 m	FS	130-160	21-23
Serafil 20	2975	600 m	FS	120-140	19-22
	5200	2500 m			
Serafil 20 WR	0137	600 m	FS	120-140	19-22
Serafil 30	2065	900 m	FS	110-130	18-21
	2529	4000 m			
Serafil 30 WR	0138	900 m	FS	110-130	18-21
Serafil 40	2062	1200 m	FS	90-120	14-19
	4546	5000 m			
Serafil 40 WR	0139	1200 m	FS	90-120	14-19
Serafil 60	3056	1800 m	FS	80-110	12-18
	6163	5000 m			
Serafil 60 WR	0141	1800 m	FS	80-110	12-18
Serafil 80	3099	2400 m	FS	70-110	10-18
	7904	10000 m			
Serafil 120	4250	4000 m	FS	70-110	10-18
	5669	15000 m			



WR = water repellent







Hauptstraße 1 74357 Bönnigheim - Germany Phone +49 7143 277-250 Fax +49 7143 277-460

nt@amann.com · www.amann.com

